

Proteomics and Protein Mass Spectrometry 2005

Stephen Barnes, PhD
4-7117, MCLM 452
sbarnes@uab.edu

Helen Kim, PhD
4-3880, MCLM 460A
helenkim@uab.edu

S Barnes BMG 744 1/04/05

Course plan

- Meet Tuesdays/Fridays in MCLM 501 from 9-11 am (Jan 4-Mar 18) - possible alternate site to be discussed
- Graduate Students taking this course are required to attend each session
- Evaluations will be made from in-class presentations of assigned papers plus 1-2 projects/exams
- Where possible, materials from each class will be placed on the proteomics website (go to <http://www.uab.edu/proteomics> - click on Resources)

S Barnes BMG 744 1/04/05

Recommended texts

- Suggested text - “*Introduction to Proteomics*” by Daniel C. Liebler, 2002
- Also see “*The Expanding Role of Mass Spectrometry in Biotechnology*” by Gary Siuzdak (a 2003 edition of the 1996 first edition)
- Both available at Amazon.com

S Barnes BMG 744 1/04/05

BMG 744 Course content

Jan 4	Barnes/Kim	The world of proteins – beyond genomics
Jan 7	H Kim	The proteome, proteomics and where to start
Jan 11	C Fenseleau	Isolation of specific cells and subcellular fractions 12 noon
Jan 14	M Baggott	Techniques of protein separation
Jan 18	H Kim	Protein separation by electrophoresis and other 2D-methods
Jan 21		Student presentations
Jan 25	S Barnes	Mass spectrometry of proteins and peptides: principles and principal methods
Jan 28	S Barnes	MALDI and peptide mass fingerprinting; peptide sequencing
Feb 1		Class demo of methods
Feb 4		Mid-term exam
Feb 8	A Loraine	Connecting proteomics into bioinformatics
Feb 11	G Page	Statistical issues in proteomics and mass spectrometry
Feb 15	S Barnes	Qualitative and quantitative burrowing of the proteome
Feb 18		Student Presentations
Feb 22	Kim/Townes	Protein-protein networks/Affinity isolation/immunoprecipitation
Feb 25	P Prevelige	Protein structure by H-D exchange mass spectrometry
Mar 1	S Barnes	Enzymology, proteomics and mass spectrometry
Mar 4		Student presentations
Mar 8	Barnes/Wang	Tissue and fluid proteomics
Mar 11	H Kim	Application of proteomics to the brain proteome
Mar 15	S Bailey	The mitochondrial proteome
Mar 18		Final exam

S Barnes BMG 744 1/04/05

What you should get from this course

- **What is proteomics?**
- **Why do proteomics when we can already do genomics?**
- **Concepts of systems biology**
- **The elusive proteome**
- **Cells and organelles**
- **Separating proteins - 2DE, LC and arrays**
- **Mass spectrometry - principal tool of proteomics**
- **The informatics and statistics of proteomics**
- **Applications to biological systems**

S Barnes BMG 744 1/04/05

History of proteomics

- **Essentially preceded genomics**
- **“Human protein index” conceived in the 1970’s by Norman and Leigh Anderson**
- **The term “proteomics” coined by Marc Wilkins in 1994**
- **Human proteomics initiative (HPI) began in 2000 in Switzerland**
- **Human Proteome Organization (HUPO) had meetings in November, 2002 in Versailles, France, in October, 2003 in Montreal, Canada, and in Beijing, China, 2004. In 2005, it will be in Munich, Germany (Aug 28-Sep 1).**

S Barnes BMG 744 1/04/05

What proteomics is not

“Proteomics is not just a mass spectrum of a spot on a gel”

George Kenyon,
2002 National Academy of Sciences Symposium

Proteomics is the identities, quantities, structures, and biochemical and cellular functions of all proteins in an organism, organ or organelle, and how these vary in space, time and physiological state

S Barnes BMG 744 1/04/05

Collapse of the single target paradigm - the need for systems biology

Old paradigm

Diseases are due to single genes - by knocking out the gene, or designing specific inhibitors to its protein, disease can be cured

But the gene
KO mouse
didn't notice
the loss of
the gene



New paradigm

We have to understand gene and protein networks - proteins don't act alone - effective systems have built in redundancy

S Barnes BMG 744 1/04/05

Research styles

- **Classical NIH R01**
 - A specific target and meaningful substrates
 - Accent on mechanism
 - Hypothesis-driven
 - **Linearizes locally multi-dimensional space**
- **Example**
 - Using a X-ray crystal structure of a protein to determine if a specific compound can fit into a binding pocket - from this “*a disease can be cured*”

S Barnes BMG 744 1/04/05

Life is just a speck in reality



We have no sense of motion as we live, but

- the earth rotates once a day at 1,000 mph
- it also moves around the Sun at 17,000 mph,
- and around the Milky Way at 486,000 mph

S Barnes BMG 744 1/04/05

From substrates to targets to systems - a changing paradigm

- **Classical approach** - one substrate/one target
- **Mid 1980s** - use of a pure reagent to isolate DNAs from cDNA libraries (multiple targets)
- **Early 1990s** - use of a reagent library (multiple substrates) to perfect interaction with a specific target
- **2000+** - effects of specific reagents on cell systems using DNA microarrays (500+ genes change, not just one)

S Barnes BMG 744 1/04/05

Exploring information space - the *Systems Biology* approach

- **Systems biology** means measuring everything about a system at the same time
- For a long time deemed as too complex for useful or purposeful investigation
- But are the tools available today?

S Barnes BMG 744 1/04/05

Systems Biology

“To understand biology at the system level, we must examine the structure and dynamics of cellular and organismal function, rather than the characteristics of isolated parts of a cell or organism.”

“Properties of systems, such as robustness, emerge as central issues, and understanding these properties may have an impact on the future of medicine.”

“However, many breakthroughs in experimental devices, advanced software, and analytical methods are required before the achievements of systems biology can live up to their much-touted potential.”

S Barnes BMG 744 1/04/05

Kitano, 2002

The Biological Data of the Future

- Destructive
- Qualitative
- Uni-dimensional

- Low temporal resolution
- Low data density
- Variable standards
- Non cumulative

Current nature of data

- Non-destructive
- Quantitative
- Multi-dimensional and spatially resolved
- High Temporal resolution
- High data density
- Stricter standards
- Cumulative

Elias Zerhouni, FASEB 2004

S Barnes BMG 744 1/04/05

Defining disease from the proteome

- Numerous examples of a revised picture of disease from analysis of the proteome
 - Aging
 - Cancer
 - Cardiovascular disease
 - Neurodegeneration
- Infectious disease and the microbial proteome


S Barnes BMG 744 1/04/05

Techniques in Systems Biology

- DNA microarrays to describe and *quantitate* the transcriptosome
- Large scale and small scale proteomics
- Protein arrays
- Protein structure
- Integrated computational models

S Barnes BMG 744 1/04/05

Schematic of systems biology paradigm




Important aspect of systems biology is that the model must undergo continual refinement

S Barnes BMG 744 1/04/05

High dimensionality of microarray or proteomics data means you must understand statistics


While reproducible data can be obtained, the large numbers of parameters (individual genes or proteins) require large changes in expression before a change can be regarded as significant

use of the Bonferroni correction
A conservative correction



S Barnes BMG 744 1/04/05

Statistical realities in systems biology



For $n = 3$, 90% of the *true positive* changes will be observed and 35% of the *true negatives* will appear to be positive

S Barnes BMG 744 1/04/05

Properties of a system and fold-change

- The primary assumption of most users of DNA microarrays (and proteomics) has been that the cut-off for assessing change is two-fold
- This is a very naïve view of properties of a system
 - Barnes' law "Fold-change is inversely related to biological importance"

S Barnes BMG 744 1/04/05

Properties of a system and fold-change

- For a system, items that are important are the least likely to change
 - when they do, then catastrophic events will occur
 - Proliferation vs apoptosis (PTEN < 50% change)
- Items unimportant to the system can vary a lot (not a core value)
- How can we perceive “importance”?
 - Re-weight the data by dividing by the variance
 - Need to have enough information about each item to calculate its variance ($n > 5$)

S Barnes BMG 744 1/04/05

Vulnerability of a system

- To really understand biological systems, you have to appreciate their dynamic state
 - Read about control theory
 - Realize that systems are subject to rhythms
 - Subject them to fourier transform analysis to detect their resonance (requires far more data than we can currently collect)
- A small signal at the right frequency can disrupt the system
 - Analogies “the small boy in the bath” and “the screech of chalk on a chalk board”

S Barnes BMG 744 1/04/05

Hazards of interpreting microarray data

- “Expression patterns are the place where environmental variables and genetic variation come together. Environmental variables will affect gene expression levels.”
- “Don’t we need to be very careful to understand the environmental inputs that might have an impact on that expression? Perhaps an over-the-counter herbal supplement might cause an expression pattern that looks like that of a very aggressive tumor.”

Abridged from Karen Kline, 2002


S Barnes BMG 744 1/04/05

Why study the proteome when we can do DNA microarrays?

- DNA microarray analysis allows one to examine the mRNA levels of thousands and thousands of genes
- However, the correlation between gene expression and protein levels is poor at best
- Is this a new finding? No, before the age of genetics, it was well known

S Barnes BMG 744 1/04/05


Apparent poor relationship between gene expression and protein content



Housekeeping genes and proteins are related

This is the relationship between mRNA (red) and protein (blue) levels expression of a house-keeping gene/protein, i.e., one that has to be expressed at all times

- Even with the small perturbation, the amounts of mRNA and protein are well correlated to each other




S Barnes BMG 744 1/04/05

Sampling time affects interpretation of correlation between mRNA and protein expression for important proteins

Determining the relationship between mRNA (red) and protein (blue) levels depends totally on when you measure them - for the figure opposite, the ratio at 2.5 hr is 10:1, whereas at 7.5 hr it's 1:100

- better to measure the ratio over time and integrate the area under the curve



S Barnes BMG 744 1/04/05

Predicting the proteome

- **Bioinformatics** is the basis of high throughput proteome analysis using mass spectrometry. Protein sequences can be computationally predicted from the genome sequence
- However, **bioinformatics** is not able to predict with accuracy the sites or chemistry of posttranslational modifications - these need to be defined chemically (using mass spectrometry)

S Barnes BMG 744 1/04/05

Predicting the proteome

- Predicting the proteome has elements of a circular argument
 - protein sequences were initially determined chemically and were correlated with the early gene sequences. It then became easier to sequence a protein from its mRNA (captured from a cDNA library). This could be checked (to a degree) by comparison to peptide sequences. Now we have the human genome (actually two of them).
- So, is it valid to predict the genes (and hence the proteome) from the sequence of the genome?
 - We're doing this in current research. But as we'll see, the mass spectrometer is the ultimate test of this hypothesis -
 - why? because of its mass accuracy


S Barnes BMG 744 1/04/05

Protein sequence and structure

- The number of possible combinations of the 20 amino acids is mind boggling
- For a 100-mer peptide, the number of distinctly different forms exceeds the number of protons in the universe
- In biology, specific blocks of sequences and their variants are used repeatedly

S Barnes BMG 744 1/04/05

Protein space



Only a small part of protein space is occupied, rather like the universe

Protein structure

- Determined by folding - folding rules not yet defined - cannot predict structure *de novo*
- X-ray crystallography has been used to produce elegant structural information
- NMR and H-D exchange combined with mass spec enable in solution structure to be determined

S Barnes BMG 744 1/04/05

Protein informatics

- **The predicted sequences of the proteins encoded by genes in sequenced genomes are available in many publicly available databases (subject to the limitations mentioned earlier)**
- **The mass of the protein is less useful (for now) than the masses of its fragment ions - as we'll see later, the masses of tryptic peptides can be used to identify a protein in a matter of seconds**


S Barnes BMG 744 1/04/05

So, what do we do with all these data?


- **Management of the data generated by DNA microarray and proteomics/protein arrays**
 - **High dimensional analysis**
- **Beyond the capabilities of investigators**
- **Urgent need for visualization tools**
- **The importance of new statistical methods for analysis of high dimensional systems**

S Barnes BMG 744 1/04/05

Visualization at the whole cell level




S Barnes BMG 744 1/04/05



A g r t

Chaplin
silent
ie



N I H

L



Suggested course reading material

- Kenyon G, et al. *Defining the mandate of proteomics in the post-genomics era: workshop report*. Mol. Cell Proteomics, 1:763-780 (2002)
- Kim, H, Page GP and Barnes S. *Proteomics and mass spectrometry in nutrition research*. Nutrition 20:155-165 (2004).
- Hood L. *Systems biology: integrating technology, biology and computation*. Mechanisms of Aging and Development 124: 9-16 (2003).
- Patterson SD, and Aebersold RH. *Proteomics: the first decade and beyond*. Nature Genetics 33 (suppl):311-323 (2003).
- Aebersold R and Mann M. *Mass spectrometry-based proteomics*. Nature 422:198-207 (2003).
- Noble G. *Modeling the heart - from genes to cells to the whole organ*. Science 295:1678-1682 (2002)
- Graves PR and Haystead TAJ. *Molecular biologist's guide to proteomics*. Microbiol Mol Biol Rev 66:39-63 (2002)
- Ping P. *Identification of novel signaling complexes by functional proteomics*. Circulation Research 93:595-603 (2003)

S Barnes BMG 744 1/04/05

PROTIG and Videocast

- There is a NIH-based proteome special interest group (PROTIG)
 - Sign up at <http://proteome.nih.gov>
- Proteomics and mass spec talks are available for viewing (using Real Player)
 - Log on at <http://videocast.nih.gov>

S Barnes BMG 744 1/04/05